Twin - 60" x 80" Nine blocks by Twelve blocks 8 inch blocks: 20 black and 88 various colors 2 Strips black 3.5" x 60" 2 Strips black 3.5" x 82"

Crib - 42" x 52" Six blocks by Eight blocks 8 inch blocks: 13 black and 35 various colors 2 Strips black 3.5" x 40" 2 Strips black 3.5" x 53"

## Fabric Requirements

Background: 1-1/2 yards black for crib size 2 yards black for twin size

Binding: 1/3 yard background or contrasting fabric.

Colors: Crib Size:

8 fat quarters (each fat quarter makes 4 blocks) or 35 scrap pieces 8 inches

square. Twin Size:


22 fat quarters or 88 scrap pieces 8 inches square.

This quilt could also be made using fat eighths, since you can cut two 8 inch squares from each fat eighth.


Windmill - Cathey McClure Copyright 2008



Instructions for Crib and Twin size



Although I designed this quilt with a black background it would be equally as striking with either a white or colored background.




Eight inch square Cut angle is 30 degrees

Print one copy for each stack of fabric

Twin size and crib size differs only in number of rows across and down. Instructions are given for crib size.

## Instructions for Twin size are in bold and in parenthesis.


Quick and easy piecing of this quilt depends on the fabric being cut and stacked as shown. This enables you to complete each vertical row of the quilt without having to check on fabric placement.



Take eight (TWELVE) 8 inch blocks of background fabric. Cut using template as shown.
Put the stack of eight (TWELVE) A's on left and the stack of eight (TWELVE) B's on right.








## Arrange stacks as follows: E Cut one 8 inch background



Position the D and F pieces on top and bottom of the first stack as shown.



Position the C and E pieces on the top and bottom of the last stack as shown


















Take four (SEVEN) 8 inch blocks of background fabric - Cut using template as shown.

Position the B pieces on the top of the stacks as shown.

Position the A pieces on the bottom of the stacks as shown.



















After all blocks are finished, take a square ruler, mark the seam lines with masking tape and then square up all blocks.

When all blocks have been squared up and sewn into rows add the top and bottom borders and then the side borders.

