

SEWING GUIDE
BABY BONNET

0- 24 months



TIPS BEFORE START THE PROJECT

Read all the instructions before started to make the sewing.

If you have questions about the project, feel free to write for us via Etsy message and we will answer you.

Wash and iron your fabric if needed due it's doesn't shrink anymore.

Choose the pattern based on measurements, **NOT** age!
Size guide is only approximate.
All the kids are different.






BEFORE YOU PRINT

Make sure you choose "Actual size" or **Scaling 100%**, so that the pattern dimensions stay unaltered.


My patterns have been made to fit sizes:
A4 (210x297mm);
letter (8.5x 11").

In our patterns seams allowances are included!
1cm/0.4inch

STITCHES MARKING

-  ZigZag stitch / Overlock
-  Straight stitch
-  Basting stitches
-  Pins
-  Notches


BABY BONNET



-You will need to cut:

- Baby Bonnet side, 2 pieces.
- Baby Bonnet side Lining, 2 pieces.
- Baby Bonnet center, 1 piece.
- Baby Bonnet center lining, 1 piece.
- Bias tape.


1



-Pin the curved edge of the baby bonnet side pieces to your bonnet center piece. Match single notches to single and double to double.


-Sew them with 1cm/0.4" seam allowance.
-Repeat the same step with lining.

2




-Snip a few of triangles into bonnet allowance.
-Be careful, don't snip the seam.
-Iron the seam allowances open.
Use the very tip of iron while flattening.

3



-Turn your bonnet right side out and put the lining inside of the bonnet.


4



- Connect the bonnets with straight stitch along the edge with 0,5cm/0.2" seam allowance.
- You made the base of baby bonnet.


5

MAKING YOUR OWN BIAS TAPE




- Cut the strip 3cm/1.2" in wide diagonally across your fabric piece.
- Fold both sides of bias tape inwards length way 0,5cm/0,2" and press.
- Fold in half the strip once more and press.
- Now you have your own bias tape.

6







- If you don't have long enough fabric you can piece two or more of the bias/diagonally strips together.
- Lay the strips with right sides together at a 90 degree angle.
- Sew diagonally across the strips to join them together. Trim the seam allowance and press seam apart.
- Fold the stripe like at picture 6 to make bias tape.





7




- Take the bonnet and pin bias tape on neckline.
- Sew straight stitch all around the neckline.
- Snip extra bias tape at the end.

8








lining on top

- Layer the lining on the bonnet that the right side of the bonnet lining faces the right side of the bonnet.
- Sew the front, where the ruffle is with 0,5cm/0.2" allowance.

17




start to pin

- Turn the bonnet right side out.
- Find the center of bias tape* and pin it with the center of your bonnet neckline.
- Pin it all the way down on both sides.

*how to make a bias tape step 6-7.


18



- Make a straight stitch along the neckline and ties.
- Make a knot at the end of ties.
- You finished the bonnet with ruffle.

19


BABY BONNET WITH BRIM



-You will need to cut:

- Baby Bonnet side, 2 pieces.
- Baby Bonnet side lining, 2 pieces.
- Baby Bonnet center, 1 piece.
- Baby Bonnet center lining, 1 piece.
- Bias tape.
- Brim, 2pieces.
- Brim lining, 1 piece.

20




Brim Back and Brim Lining

Brim

-Iron brim lining on the brim back.
-Put the right sides together of both brim details.

21




Brim, lining and back

-Make a straight stitch along the curved edge with 0,5cm/0.2" seam allowance.

-Turn the brim right side out and snip off excess of seam allowance.

22




bonnet

lining

-Pin the curved edge of the baby bonnet side pieces to your bonnet center piece. Match single notches to single and double to double.
-Sew them with 1cm/0.4" seam allowance.
-Repeat the same step with lining.

23




bonnet

lining


-Snip a few of triangles into bonnet allowance.
-Be careful, don't snip the seam.
-Iron the seam allowances open.
Use the very tip of iron while flattening.

24




-Pin the brim to the front of bonnet that they right sides are facing each other.

25



-Layer the lining on the bonnet that the right side of the bonnet lining faces the right side of the bonnet.
-Sew the front, where the brim is with 0,5cm/0.2" allowance.


26



-Turn the bonnet right side out.
-Find the center of bias tape* and pin it with the center of your bonnet neckline.
-Pin it all the way down on both sides.



*how to make a bias tape step 6-7.

27



-Make a straight stitch along the neckline and ties.
-Make a knot at the end of ties.
-You finished a bonnet with brim.

28



Thank you!

The sale of items made using our patterns is permitted, however, resale of the actual pattern is prohibited.

YOU WILL FIND US HERE:



[etsy.com/shop/sewingpatternsbydi](https://www.etsy.com/shop/sewingpatternsbydi)



[@SewingPatternsByDi](https://www.instagram.com/SewingPatternsByDi)

