

Daisy



A fat quarter quilt in 5 sizes

Daisy

Material Requirements:

Finished Block Sizes:

10 ¼" x 18 ½" &
18 ½" square

	Crib	Throw (Cover Quilt)	Twin**	Queen	King
	43" x 59 ½"	63 ½" x 78"	73 ¾" x 96 ½"	94 ¼" x 96 ½"	104 ½" x 96 ½"
Feature fabrics*	7 fat quarters	14 fat quarters	20 fat quarters	25 fat quarters	27 fat quarters
Background fabric	1 ½ yards	2 ¾ yards	3 ⅝ yards	4 ¾ yards	5 ¼ yards
Backing	3 yards	5 yards	6 yards	8 ⅝ yards	8 ⅞ yards
Binding	½ yard	⅝ yard	⅔ yard	¾ yard	⅞ yard

* Fat quarters must have 21" of usable width. For best results, use non-directional fabrics.

** The twin size is wider and longer than a standard twin.



© Cluck Cluck Sew LLC, 2023

Web: cluckclucksewpatterns.com

Email: cluckclucksew@gmail.com

Blog: cluckclucksew.com

CCS #216



7 03441 68798 3



BEFORE YOU BEGIN:


1. Please read through all of the instructions.
2. All seam allowances are $\frac{1}{4}$ ". All seams are sewn with fabrics right sides together.
3. The assumed width of usable fabric is 42". Fat quarters are 18" x 21".
4. "Width of the fabric" has been abbreviated to "WOF."
5. Visit cluckclucksew.com/pattern-corrections for any corrections since this printing.

1. Cut fat quarters for the edge half-flower blocks:


A. Choose the following number of fat quarters to cut for the half blocks:

	Crib	Throw	Twin	Queen	King
Fat quarters to cut for half blocks:	2	4	5	5	4

- B. Cut each of these fat quarters into 1 strip 3 ¾" and 1 strip 5 ½" along the 18" edge of the fat quarter (Fig. A).
- C. Subcut the 3 ¾" strip into 2 strips 7 ½" and 1 strip 5". Subcut the 5 ½" strip into 2 squares 5 ½" and 1 strip 5" x 7 ½" (Fig. B).




(Fig. A)




(Fig. B)

2. Cut fat quarters for the full flower blocks:

- A. Cut each of the remaining fat quarters into 2 strips 5 ½", and 1 strip 5", along the 18" edge of the fat quarter (Fig. C).
- B. Subcut the 5 ½" strips into 4 squares 5 ½", and 2 strips 5" x 7 ½". Subcut the 5" strip into 2 strips 7 ½" and 1 square 5" (Fig. D).



(Fig. C)



(Fig. D)

1. Cut the background fabric:

Crib	A. Cut 6 strips $1\frac{3}{4}$" x WOF. - Subcut each of the strips into 22 squares $1\frac{3}{4}$", 120 total. B. Cut 16 strips $2\frac{1}{2}$" x WOF. - Subcut 4 strips each into 6 strips $2\frac{1}{2}$" x $5\frac{1}{2}$", 24 total. - Subcut 5 strips each into 5 strips $2\frac{1}{2}$" x $7\frac{1}{2}$", 24 total. - Subcut 4 strips each into 2 strips $2\frac{1}{2}$" x 19", 8 total. - Trim the selvages off the last 3 strips and set aside for borders.
Throw	A. Cut 11 strips $1\frac{3}{4}$" x WOF. - Subcut each of the strips into 22 squares $1\frac{3}{4}$", 240 total. B. Cut 28 strips $2\frac{1}{2}$" x WOF. - Subcut 7 strips each into 7 strips $2\frac{1}{2}$" x $5\frac{1}{2}$", 48 total. - Subcut 10 strips each into 5 strips $2\frac{1}{2}$" x $7\frac{1}{2}$", 48 total. - Subcut 7 strips each into 2 strips $2\frac{1}{2}$" x 19", 14 total. - Trim the selvages off the last 4 strips and set aside for borders.
Twin	A. Cut 16 strips $1\frac{3}{4}$" x WOF. - Subcut each of the strips into 22 squares $1\frac{3}{4}$", 350 total. B. Cut 38 strips $2\frac{1}{2}$" x WOF. - Subcut 10 strips each into 7 strips $2\frac{1}{2}$" x $5\frac{1}{2}$", 70 total. - Subcut 14 strips each into 5 strips $2\frac{1}{2}$" x $7\frac{1}{2}$", 70 total. - Subcut 10 strips each into 2 strips $2\frac{1}{2}$" x 19", 20 total. - Trim the selvages off the last 4 strips and set aside for borders.
Queen	A. Cut 21 strips $1\frac{3}{4}$" x WOF. - Subcut each of the strips into 22 squares $1\frac{3}{4}$", 450 total. B. Cut 49 strips $2\frac{1}{2}$" x WOF. - Subcut 13 strips each into 7 strips $2\frac{1}{2}$" x $5\frac{1}{2}$", 90 total. - Subcut 18 strips each into 5 strips $2\frac{1}{2}$" x $7\frac{1}{2}$", 90 total. - Subcut 13 strips each into 2 strips $2\frac{1}{2}$" x 19", 25 total. - Trim the selvages off the last 5 strips and set aside for borders.
King	A. Cut 23 strips $1\frac{3}{4}$" x WOF. - Subcut each of the strips into 22 squares $1\frac{3}{4}$", 500 total. B. Cut 55 strips $2\frac{1}{2}$" x WOF. - Subcut 15 strips each into 7 strips $2\frac{1}{2}$" x $5\frac{1}{2}$", 100 total. - Subcut 20 strips each into 5 strips $2\frac{1}{2}$" x $7\frac{1}{2}$", 100 total. - Subcut 14 strips each into 2 strips $2\frac{1}{2}$" x 19", 28 total. - Trim the selvages off the last 6 strips and set aside for borders.

ASSEMBLE THE HALF BLOCKS:


When shown, arrows in the diagrams indicate the directions to press the seams.

1. Gather the following cut pieces to make one half block:


Feature fabrics: 2 strips $3\frac{3}{4}" \times 7\frac{1}{2}"$, 1 strip $5" \times 7\frac{1}{2}"$, and 2 squares $5\frac{1}{2}"$, all from the same fabric. 1 strip $3\frac{3}{4}" \times 5"$ from a different fabric.

Background fabric: 10 squares $1\frac{3}{4}"$, 2 strips $2\frac{1}{2}" \times 5\frac{1}{2}"$, and 2 strips $2\frac{1}{2}" \times 7\frac{1}{2}"$


2. Lay out the $3\frac{3}{4}" \times 7\frac{1}{2}"$ strips of feature fabric. Place a $1\frac{3}{4}"$ background square in the upper right corner of 1 strip and the upper left corner of the other strip right sides together. Draw a diagonal line from corner to corner on the squares (Fig. E). Sew on the lines, then trim the corners leaving a $\frac{1}{4}"$ seam allowance (Fig. F). Press seams out toward the corners.




3. Place a $1\frac{3}{4}"$ background square in both top corners of the $5" \times 7\frac{1}{2}"$ strip of feature fabric, right sides together. Draw a diagonal line from corner to corner on the squares (Fig. G). Sew on the lines, then trim the corners, leaving a $\frac{1}{4}"$ seam allowance. Press the seams out toward the corners.



4. Place a $1\frac{3}{4}"$ background square in 3 corners of a $5\frac{1}{2}"$ feature fabric square, right sides together, as shown in Fig. H. Draw a diagonal line from corner to corner on each of the background squares. Sew on the lines, then trim the corners, leaving a $\frac{1}{4}"$ seam allowance. Press seams out toward the corners or open.
5. Sew a $2\frac{1}{2}" \times 5\frac{1}{2}"$ background strip to the left side of the unit from step 4 and press the seam toward the strip (Fig. I). Sew a $2\frac{1}{2}" \times 7\frac{1}{2}"$ background strip to the top of the unit and press the seam toward the strip (Fig. J). The unit should measure $7\frac{1}{2}"$ square. **Make 2.**



6. Lay out the block units from step 2, 3 and 5, along with the $3\frac{3}{4} \times 5$ " strip of feature fabric. Sew the units together to form 3 rows and press seams as shown (Fig. K). Sew the block rows together, nesting the seams, and press seams toward the center strip (Fig. L). **The half block should measure $10\frac{3}{4} \times 19$ ".**



7. Repeat steps 1-6 to make the following number of half blocks for the size you are making:

	Crib	Throw	Twin	Queen	King
Half blocks to make	2	4	5	5	4


ASSEMBLE THE FULL BLOCKS:

1. Gather the following cut pieces to make one full block:

Feature fabrics: 4 strips $5 \times 7\frac{1}{2}$ " and 4 squares $5\frac{1}{2}$ ", all from the same fabric.
1 square 5" from a different fabric for the center.


Background fabric: 20 squares $1\frac{3}{4}$ ", 4 strips $2\frac{1}{2} \times 5\frac{1}{2}$ ", and 4 strips $2\frac{1}{2} \times 7\frac{1}{2}$ "

2. Place a 1 $\frac{3}{4}$ " background square in both top corners of a 5" x 7 $\frac{1}{2}$ " strip of feature fabric, right sides together. Draw a diagonal line from corner to corner on the squares (Fig. M). Sew on the lines, then trim the corners, leaving a $\frac{1}{4}$ " seam allowance (Fig. N). Press seams out toward the corners. **Make 4.**




3. Place a 1 $\frac{3}{4}$ " background square in 3 corners of a 5 $\frac{1}{2}$ " feature fabric square, right sides together, as shown in Fig. O. Draw a diagonal line from corner to corner on each of the background squares. Sew on the lines, then trim the corners, leaving a $\frac{1}{4}$ ". Press the seams out toward the corners or open (Fig. P).

4. Sew a 2 $\frac{1}{2}$ " x 5 $\frac{1}{2}$ " background strip to the left side of the unit from step 3 and press the seam toward the strip (Fig. Q). Sew a 2 $\frac{1}{2}$ " x 7 $\frac{1}{2}$ " background strip to the top of the unit and press the seam toward the strip (Fig. R). The unit should measure 7 $\frac{1}{2}$ " square. **Make 4.**



5. Lay out the block units from steps 2 and 4, along with the 5" feature fabric square. Sew the units together to form 3 rows and press seams as shown (Fig. S). Sew the block rows together, nesting the seams, and press seams toward the center strip (Fig. T). **The full block should measure 19" square.**



6. Repeat steps 1-5 to make the following number of full blocks for the size you are making:

	Crib	Throw	Twin	Queen	King
Full blocks to make	5	10	15	20	23


ASSEMBLE THE QUILT:

1. Lay out the blocks using the table below and the layout diagrams on pages 8-10. Every other row begins with a half block, starting with row 2. The Crib size ends row 2 with a half block. The Throw and King sizes end rows 2 and 4 with a half block. The Twin and Queen sizes end rows 1, 3, and 5 with a half block.

	Crib	Throw	Twin	Queen	King
Blocks in odd rows	2	3	4	5	5
Blocks in even rows	3	4	4	5	6
Number of rows	3	4	5	5	5


2. Place a 2 1/2" x 19" background strip in between each block and at the beginning and end of the rows that start or end with a full block.
3. Sew the blocks and strips together to form the rows. Press the seams toward the background strips.

* Shown in the Throw size.





- Pin and sew the rows together to form the quilt top. Press seams all in the same direction or open.
- Sew the reserved 2 1/2" x WOF border strips together end to end and press. Subcut into 2 strips of the length shown in the table below for the size you are making. Pin and sew the strips to the top and bottom of the quilt. Press seams open or toward the strips.

	Crib	Throw	Twin	Queen	King
Top/Bottom border strip length to cut:	43 1/2"	64"	74 1/4"	94 3/4"	105"



Crib size layout





FINISHING THE QUILT:

1. For the Crib, Throw, and Twin sizes, cut the length of the backing in half, making 2 equal pieces. For the Queen and King sizes, cut the length of the backing into 3 equal pieces. Trim the selvages, then sew the pieces right sides together along one selvage edge. The Crib and Queen sizes will have a horizontal backing seam; the Throw, Twin, and King sizes will have a vertical seam.
2. Layer the quilt top, batting, and backing. Baste and quilt as desired.
3. Cut the binding fabric into the following number of 2 ½" strips:

	Crib	Throw	Twin	Queen	King
2 ½" x WOF strips	6	8	9	10	11

4. Trim away the excess batting/backing and bind. Visit cluckclucksew.com for binding and finishing tutorials.